

# Actuator

18-  
031.0052L



<https://www.eao.com/component/18-031.0052L/en...>

Your product:

---



## 18-031.0052L Actuator

### PRODUCT RANGE

**Product Status:** Phase-out

### FRONT

**Front dimension:** Ø 9 mm

**Front form:** Round

**Front bezel colour:** Black

**Front bezel material:** Plastic

### MOUNTING

**Design:** Raised

**Mounting type:** Panel mounting

### OPERATING-/INDICATION PART

**Lens colour:** Red

**Lens material:** Plastic

**Lens illumination:** Illuminated

**Lens shape:** Flush

**Lens optics:** translucent

**Illumination colour:** Red

### ELECTRICAL CHARACTERISTICS

**Operating voltage:** 12 V DC ±10 %

## MECHANICAL CHARACTERISTICS


|                  |                    |
|------------------|--------------------|
| <b>Terminal:</b> | Soldering terminal |
| <b>Weight:</b>   | 0.002 kg           |

## CERTIFICATE

|               |                 |
|---------------|-----------------|
| <b>REACH:</b> | REACH compliant |
| <b>RoHS:</b>  | RoHS compliant  |


## OTHER

|                            |  |
|----------------------------|--|
| <b>Short Description:</b>  | Actuator, Ø 9 mm, Flush, Illuminated, Red, Plastic, translucent, Round, Black, Plastic, Soldering terminal, Red  |
| <b>Product attributes:</b> | Luminosity and wave length variations caused by LED manufacturing processes may cause slight differences regarding the illumination. The customer has to decide what resistor shall be used to the LED |
| <b>Wiring diagrams:</b>    |  |




## Component layouts:

A = Terminals (rear side)  
B = Indicator



**Mounting cut-outs:**



**Dimension drawings:**

