

Actuator

18-
040.0055L



<https://www.eao.com/p/18-040.0055L>

Your product:



18-040.0055L Actuator

PRODUCT RANGE

Product Status: Phase-out

FRONT

Front dimension: 14 mm x 9 mm

Front form: Rectangular

Front bezel colour: Black

Front bezel material: Plastic

MOUNTING

Design: Raised

Mounting type: Panel mounting

OPERATING-/INDICATION PART

Lens colour: Green

Lens material: Plastic

Lens illumination: Illuminated

Lens shape: Flush

Lens optics: translucent

Illumination colour: Green

ELECTRICAL CHARACTERISTICS

Operating voltage: tbd

MECHANICAL CHARACTERISTICS

Terminal:	Soldering terminal
Weight:	0.002 kg

AMBIENT CONDITION

Operating temperature:	– 25 °C ... + 65 °C
-------------------------------	---------------------

CERTIFICATE


REACH:	REACH compliant
RoHS:	RoHS compliant

OTHER

Short Description:	Actuator, 14 mm x 9 mm, Flush, Illuminated, Green, Plastic, translucent, Rectangular, Black, Plastic, Soldering terminal, Green
---------------------------	---------------------------------------------------------------------------------------------------------------------------------

Product attributes:	Luminosity and wave length variations caused by LED manufacturing processes may cause slight differences regarding the illumination. The customer has to decide what resistor shall be used to the LED
----------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Wiring diagrams:




Component layouts:



A = Terminals (rear side)
B = Indicator

Mounting cut-outs:



Dimension drawings:

