

Actuator

18-
061.0055L



<https://www.eao.com/component/18-061.0055L/en...>

Your product:



18-061.0055L Actuator

PRODUCT RANGE

Product Status: Phase-out

FRONT

Front dimension: Ø 19 mm

Front form: Round

Front bezel colour: Black

Front bezel material: Plastic

MOUNTING

Design: Flush

Mounting type: Panel mounting

OPERATING-/INDICATION PART

Lens colour: Green

Lens material: Plastic

Lens illumination: Illuminated

Lens shape: Flush

Lens optics: translucent

Illumination colour: Green

ELECTRICAL CHARACTERISTICS

Operating voltage: 12 V DC ±10 %

MECHANICAL CHARACTERISTICS

| | |
|------------------|--------------------|
| Terminal: | Soldering terminal |
| Weight: | 0.002 kg |


AMBIENT CONDITION


| | |
|-------------------------------|---------------------|
| Operating temperature: | - 25 °C ... + 65 °C |
|-------------------------------|---------------------|

CERTIFICATE

| | |
|---------------|-----------------|
| REACH: | REACH compliant |
| RoHS: | RoHS compliant |


OTHER

| | |
|----------------------------|--|
| Short Description: | Actuator, Ø 19 mm, Flush, Illuminated, Green, Plastic, translucent, Round, Black, Plastic, Soldering terminal, Green |
| Dimension: | Ø 13.8 mm |
| Product attributes: | Luminosity and wave length variations caused by LED manufacturing processes may cause slight differences regarding the illumination. The customer has to decide what resistor shall be used to the LED |
| Wiring diagrams: |  |

Component layouts:

A = Terminals (rear side)

B = Indicator

Mounting cut-outs:**Dimension drawings:**