

# Actuator

18-  
082.0052L



<https://www.eao.com/component/18-082.0052L/en...>

Your product:

---



18-082.0052L  
Actuator

PRODUCT RANGE

Product Status: Phase-out

FRONT

Front dimension: 19 mm x 19 mm

Front form: Square

Front bezel colour: Black

Front bezel material: Plastic

MOUNTING

Design: Flush

Mounting type: Panel mounting

OPERATING-/INDICATION PART

Lens colour: Red

Lens material: Plastic

Lens illumination: Illuminated

Lens shape: Flush

Lens optics: translucent

Illumination colour: Red

ELECTRICAL CHARACTERISTICS

Operating voltage: 24 V DC  $\pm 10\%$

## MECHANICAL CHARACTERISTICS

**Terminal:** Soldering terminal

**Weight:** 0.003 kg

## AMBIENT CONDITION

**Operating temperature:** – 25 °C ... + 65 °C

## CERTIFICATE

**REACH:** REACH compliant

**RoHS:** RoHS compliant

## OTHER

**Short Description:** Actuator, 19 mm x 19 mm, Flush, Illuminated, Red, Plastic, translucent, Square, Black, Plastic, Soldering terminal, Red


**Dimension:** 13.8 mm x 13.8 mm

**Product attributes:** Luminosity and wave length variations caused by LED manufacturing processes may cause slight differences regarding the illumination. The customer has to decide what resistor shall be used to the LED

**Wiring diagrams:**




### Component layouts:



A = Terminals (rear side)  
B = Indicator

### Mounting cut-outs:



### Dimension drawings:

