

# Illumination element

45-320.1J11





https://www.eao.com/component/45-320.1J11/en/...

### Your product:



## 45-320.1J11 Illumination element

MOUNTING	
Component mounting type:	Front mounting
<b>OPERATING-/INDICATION PART</b>	
Illumination colour:	Blue
ELECTRICAL CHARACTERISTICS	
Operating voltage:	6 - 24 V AC/DC
Surge voltage resistance:	4 kV
Lumi. Intensity:	280 - 710 mcd

#### MECHANICAL CHARACTERISTICS

Terminal:	Screw terminal
Terminal details 1:	Solid 2 x (1.0 1.5mm²) - With end sleeves 2 x (0.5 0.75 mm²)
Terminal details 2:	Finely stranded - Without end sleeves 2 x (0.5 0.75 mm <sup>2</sup> ) - Without end sleeves 2 x (0.5 1.5 mm <sup>2</sup> ) - For AWG cables for auxiliary contacts 2 x (18 14)
Weight:	0.008 kg

### CERTIFICATE


REACH:	REACH compliant
RoHS:	RoHS compliant

#### OTHER

Short Description:

Wiring diagrams:

Illumination element, Screw terminal, Blue, 6 - 24 V AC/DC, Front mounting



#### Dimension drawings:

