


Actuator

61-4970.13





Your product:



61-4970.13 Actuator

E	D	0	N	п
г	п	v	14	

Front dimension: 24 mm x 24 mm

Front form: Square

Front bezel colour: Black

Front bezel material: Plastic

MOUNTING

Mounting cut-out: 21.2 mm x 21.2 mm

Mounting type: Panel mounting

ELECTRICAL CHARACTERISTICS

Power (W):

Resistance: 10 k Ω

MECHANICAL CHARACTERISTICS

Terminal: Flat ribbon cable

Tightening torque: Max. 0.5 Nm

Weight: 0.023 kg

AMBIENT CONDITION

IP front protection: IP65

Operating temperature: $-25 \, ^{\circ}\text{C} \, ... \, + \, 55 \, ^{\circ}\text{C}$

CERTIFICATE

REACH: REACH compliant

RoHS: RoHS compliant

OTHER


Short Description: Actuator, 21.2 mm x 21.2 mm, 24 mm x 24 mm, Square, Black, Plastic,

Flat ribbon cable, IP65

Housing material: Plastic


Product attributes: Cable length 300 mm

Wiring diagrams:



A = blue B = redC = yellow

Component layouts:




A = Terminals (rear side)

B = Conductor colour of flat ribbon cable

C = a = blue, b = red, c = yellow

Mounting cut-outs:



Dimension drawings:

