

Your Expert Partner for Human Machine Interfaces

## Lens

61-9643.702





https://www.eao.com/p/61-9643.702

### Your product:



# 61-9643.702 Lens

#### FRONT

| Front form: | Round |
|-------------|-------|
|             |       |

#### **OPERATING-/INDICATION PART**

| Lens colour:           | Colourless  |
|------------------------|-------------|
| Lens material:         | Plastic     |
| Lens illumination:     | Illuminated |
| Lens shape:            | Flush       |
| Lens optics:           | transparent |
| Symbol:                | ON/OFF      |
| Shape of illumination: | Symbol      |

#### **MECHANICAL CHARATERISTIC**

| Weight: | 0.002 kg |
|---------|----------|
|         |          |

#### CERTIFICATE

| REACH: | REACH compliant |
|--------|-----------------|
| RoHS:  | RoHS compliant  |

#### OTHER

| Short Description: | Lens, Ø 19.7 mm, Illuminated, ON/OFF, Colourless, Flush, Plastic   |
|--------------------|--|
| Dimension:         | Ø 19.7 mm  |
| Hints:             | The silvery coat is being applied on the lens (screen print) with an additional protective lacquer. Further information see Technical data, Chemical and |

mechanical tests:,1. Wipe resistance according to EN 61058-1 section 8.9 (Petrol/gasoline, distilled water, diluted alcohol),2. Graffiti-Killer Test,3. Railway cleaning agents (Walo),4. Damp/dry heat durability,5. UV test according to EN 60068-2-5/56 days