


Lamp element

71-670.006



<https://www.eao.com/component/71-670.006/en/l...>

Your product:



71-670.006
Lamp element

MECHANICAL CHARACTERISTICS


Terminal: PCB terminal
Weight: 0.005 kg

CERTIFICATE


REACH: REACH compliant
RoHS: RoHS compliant

OTHER

Short Description: Lamp element, PCB terminal, Plastic
Material: Plastic
Housing material: Plastic
Hints: Including locking pin
Wiring diagrams:



Component layouts:



A = Terminals (rear side)
 B = Drilling plan (component side)
 C = non-metallic
 D = Cu-Pad
 E = Occupancy plan (component side)
 F = 1. Switch
 G = Switching element 2 Normally close +
 2 Normally open, Part No. 71-672.026
 H = 2. Switches
 I = Switching element 1 Normally close +
 1 Normally open, Part No. 71-671.026
 J = Illumination element, Part No. 71-
 670.026
 K = X1 Lamp cathode (-)
 L = X2 Lamp anode (+)
 M = 1-2 Contact normally closed
 N = 3-4 Contact normally open
 O = 5 Hole for interlocking pin
 P = Front dimension min.
 Q = Position interlocking pin
 R = Note:
 Pitch of the print circuit board hole Ø3.5

must agree with the mounting holes on the front plate
 S = Slot in actuator