


## Lens

84-7201.600







## 84-7201.600 Lens

| FRONT                      |                        |  |  |  |
|----------------------------|------------------------|--|--|--|
| Front form:                | Round                  |  |  |  |
|                            |                        |  |  |  |
| OPERATING-/INDICATION PART |                        |  |  |  |
| Lens colour:               | Blue                   |  |  |  |
| Lens material:             | Aluminium              |  |  |  |
| Lens illumination:         | Non illuminated        |  |  |  |
| Lens shape:                | Flush                  |  |  |  |
| Lens optics:               | opaque                 |  |  |  |
| Lens type:                 | Level with front bezel |  |  |  |
| Symbol:                    | No Symbol              |  |  |  |
|                            |                        |  |  |  |

## CERTIFICATE

Weight:

**MECHANICAL CHARACTERISTICS** 

**REACH:** REACH compliant

0.003 kg

RoHS: RoHS compliant

OTHER

| Short Description: | Lens. | Ø 19      | 9.7 mm.                                       | Non   | illuminated | No S        | vmbol.          | Blue. | Flush   | Aluminium           |
|--------------------|-------|-----------|---|-------|-------------|-------------|-----------------|-------|---------|---------------------|
| Chort Becomption.  | ,     | $\sim$ 10 | <i>-,,</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 14011 | manninatoa  | , , , , , , | y i i i i i i i | Diao  | 1 10011 | , / tiairiii iiairi |

**Dimension:** Ø 19.7 mm

**Hints:** The colour of anodised aluminium parts can vary due to technical production

reasons